

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1996

EDITORIAL

M. L. Zeidel

F1

BRIEF REVIEW

Phosphodiesterase activity as a mediator of renal resistance to ANP in pathological salt retention

E. Y. W. Lee and M. H. Humphreys

F3

Aldosterone-dependent regulation of Na-K-ATPase subunit mRNA in the rat CCD: competitive PCR analysis

K. Tsuchiya, G. Giebisch, and P. A. Welling

F7

Renal reserve during human pregnancy

S. N. Sturgiss, R. Wilkinson, and J. M. Davison

F16

Extracellular chloride regulates mesangial cell calcium response to vasopressor peptides

Z. S. Stevanovic, M. W. Salter, and C. I. Whiteside

F21

Expression and localization of prostaglandin EP₃ receptor mRNA in the immature rabbit kidney

M. Bonilla-Felix and W. Jiang

F30

Genomic structure and regulation of Kcn1, a cGMP-gated potassium channel

X. Yao, Y. Liu, F. Tung, and G. V. Desir

F37

Tubulogenesis from isolated single cells of adult mammalian kidney: clonal analysis with a recombinant retrovirus

H. D. Humes, J. C. Krauss, D. A. Cieslinski, and A. J. Funke

F42

A ureteric bud cell line induces nephrogenesis in two steps by two distinct signals

J. Barasch, L. Pressler, J. Connor, and A. Malik

F50

Quantitation of aquaporin-2 abundance in microdissected collecting ducts: axial distribution and control by AVP

B. K. Kishore, J. M. Terris, and M. A. Knepper

F62

β_2 -Adrenergic function in cultured rat proximal tubule epithelial cells

H. Singh and S. Linas

F71

Differential regulation of kallikrein, kininogen, and kallikrein-binding protein in arterial hypertensive rats

C. Chao, P. Madeddu, C. Wang, Y. Liang, L. Chao, and J. Chao

F78

Afferent arteriolar response to arachidonic acid: involvement of metabolic pathways

J. D. Imig and L. G. Navar

F87

Transcriptional and posttranscriptional mechanisms regulate human renin gene expression in Calu-6 cells

J. A. Lang, L.-H. Ying, B. J. Morris, and C. D. Sigmund

F94

Characterization and distribution of albumin binding protein in normal rat kidney

A. L. Cessac-Guillemet, F. Mounier, C. Borot, H. Bakala, M. Perichon, M. Schaefferbeke, and J. Schaefferbeke

F101

PDGF and IL-1 induce and activate specific protein kinase C isoforms in mesangial cells

M. B. Ganz, B. Saksa, R. Saxena, K. Hawkins, and J. R. Sedor

F108

Insulin resistance but IGF-I sensitivity in chronic renal failure

R. H. K. Mak

F114

Transforming growth factor- β modulation of the $\alpha 1(IV)$ collagen gene in murine proximal tubular cells

G. S. Kuncio, R. Alvarez, S. Li, P. D. Killen, and E. G. Neilson

F120

The 3'-nontranslated region of rat renal glutaminase mRNA contains a pH-responsive stability element <i>W. R. Hansen, N. Barsic-Tress, L. Taylor, and N. P. Curthoys</i>	F126
Dietary HCO ₃ reduces distal tubule acidification by increasing cellular HCO ₃ secretion <i>D. E. Wesson</i>	F132
Effects of angiotensin II on electrolyte transport in the early and late distal tubule in rat kidney <i>T. Wang and G. Giebisch</i>	F143
α_2 -Adrenergic-mediated inhibition of water and urea permeability in the rat IMCD <i>A. J. Rouch and L. H. Kudo</i>	F150
Coupling of entry to exit by peritubular K ⁺ permeability in a mathematical model of rat proximal tubule <i>A. M. Weinstein</i>	F158
Expression of aquaporins-1 and -2 during nephrogenesis and in autosomal dominant polycystic kidney disease <i>O. Devuyst, C. R. Burrow, B. L. Smith, P. Agre, M. A. Knepper, and P. D. Wilson</i>	F169
Abnormal postpartum renal development and cystogenesis in the bcl-2 (-/-) mouse <i>C. M. Sorenson, B. J. Padanilam, and M. R. Hammerman</i>	F184
Pharmacokinetics and renal metabolism of atrial natriuretic factor during rat pregnancy <i>S. Omer, D. R. Varma, P. Cernacek, and S. Mulay</i>	F194
Response of hepatic amino acid consumption to chronic metabolic acidosis <i>L. Boon, P. J. E. Blommaert, A. J. Meijer, W. H. Lamers, and A. C. Schoolwerth</i>	F198
Expression of the renal 25-hydroxyvitamin D-24-hydroxylase gene: regulation by dietary phosphate <i>S. Wu, J. Finch, M. Zhong, E. Slatopolsky, M. Grieff, and A. J. Brown</i>	F203
Role of reactive oxygen metabolites in DNA damage and cell death in chemical hypoxic injury to LLC-PK ₁ cells <i>H. Hagar, N. Ueda, and S. V. Shah</i>	F209
Metabolic alkalosis decreases bone calcium efflux by suppressing osteoclasts and stimulating osteoblasts <i>D. A. Bushinsky</i>	F216
Effect of vasopressin on renal lithium reabsorption: a micropuncture and microperfusion study <i>S. J. Walter, D. G. Shirley, and R. J. Unwin</i>	F223

RAPID COMMUNICATIONS

Organic osmolyte distribution and levels in the mammalian urinary bladder in diuresis and antidiuresis <i>E. D. Kwon, J. A. Dooley, K. Y. Jung, P. M. Andrews, A. García-Pérez, and M. B. Burg</i>	F230
Abnormal renal development in the Os/+ mouse is intrinsic to the kidney <i>C. M. Sorenson, S. A. Rogers, and M. R. Hammerman</i>	F234
Effect of atrial natriuretic peptide on renal hemodynamics and sodium excretion during human pregnancy <i>D. W. Irons, P. H. Baylis, and J. M. Davison</i>	F239

No. 2. AUGUST 1996

BRIEF REVIEW

Low permeabilities of apical membranes of barrier epithelia: what makes watertight membranes watertight? <i>M. L. Zeidel</i>	F243
---	------

Impaired effect of nitric oxide synthesis inhibition on tubuloglomerular feedback in hypertensive rats <i>C. Thorup and A. E. G. Persson</i>	F246
---	------

Na-K-ATPase isoform (α_3 , α_2 , α_1) abundance in rat kidney estimated by competitive RT-PCR and ouabain binding <i>K. Lücking, J. M. Nielsen, P. A. Pedersen, and P. L. Jørgensen</i>	F253
Reabsorption of native and glycated albumin by renal proximal tubular epithelial cells <i>M. Bendayan and I. Londoño</i>	F261
Renal ^{131}I -hippurate clearance overestimates true renal blood flow in the instrumented conscious dog <i>C. A. Visscher, D. de Zeeuw, G. Navis, A. K. van Zanten, P. E. de Jong, and R. M. Huisman</i>	F269
Molecular site for nucleotide binding on an ATP-sensitive renal K^+ channel (ROMK2) <i>C. M. McNicholas, Y. Yang, G. Giebisch, and S. C. Hebert</i>	F275
Functional characterization of albumin binding to the apical membrane of OK cells <i>M. Gekle, S. Mildenberger, R. Freudinger, and S. Silbernagl</i>	F286
Calcium dependence of integrity of the actin cytoskeleton of proximal tubule cell microvilli <i>K. Sogabe, N. F. Roeser, J. A. Davis, S. Nurko, M. A. Venkatachalam, and J. M. Weinberg</i>	F292
Enhanced renal vasoconstriction induced by vasopressin in SHR is mediated by V_1 receptors <i>J. J. Feng and W. J. Arendshorst</i>	F304
Chronic hypokalemia enhances expression of the H^+/K^+ -ATPase α_2 -subunit gene in renal medulla <i>K. Y. Ahn, K. Y. Park, K. K. Kim, and B. C. Kone</i>	F314
Aldosterone induction and epithelial distribution of CHIF <i>H. Wald, O. Goldstein, C. Asher, Y. Yagil, and H. Garty</i>	F322
Synthesis and secretion of endothelin in a cortical collecting duct cell line <i>K. M. Todd-Turla, X. L. Zhu, X. Shu, M. Chen, T. Yu, A. Smart, P. D. Killen, G. Fejes-Toth, J. P. Briggs, and J. B. Schnermann</i>	F330
Promoter elements that mediate the pH response of PCK mRNA in LLC-PK $_1$ -F $^+$ cells <i>T. Holcomb, W. Liu, R. Snyder, R. Shapiro, and N. P. Curthoys</i>	F340
cAMP activation of phosphoenolpyruvate carboxykinase transcription in renal LLC-PK $_1$ -F $^+$ cells <i>X. Liu and N. P. Curthoys</i>	F347
Albumin endocytosis is regulated by heterotrimeric GTP-binding protein $\text{G}\alpha_{i-3}$ in opossum kidney cells <i>N. J. Brunskill, N. Cockcroft, S. Nahorski, and J. Walls</i>	F356
Basal nitric oxide production curtails arteriolar vasoconstrictor responses to ANG II in rat kidney <i>H. Ikenaga, R. W. Fallet, and P. K. Carmines</i>	F365
Effects of intravenous adenosine on renal function in healthy human subjects <i>V. S. Balakrishnan, G. A. Coles, and J. D. Williams</i>	F374
Cholinergic agonists increase phosphoinositide metabolism and cell calcium in isolated rat renal proximal tubule <i>P. Meneton, M. Imbert-Teboul, M. Bloch-Faure, and R. M. Rajerison</i>	F382
Dopamine inhibits AVP-dependent Na^+ transport and water permeability in rat CCD via a D_4 -like receptor <i>D. Sun and J. A. Schafer</i>	F391
Mechanism of H^+ -coupled formate transport in rabbit renal microvillus membranes <i>A. M. Saleh, H. Rudnick, and P. S. Aronson</i>	F401
Renal ischemic-reperfusion injury in L-selectin-deficient mice <i>H. Rabb, G. Ramirez, S. R. Saba, D. Reynolds, J. Xu, R. Flavell, and S. Antonia</i>	F408
Long-term regulation of four renal aquaporins in rats <i>J. Terris, C. A. Ecelbarger, S. Nielsen, and M. A. Knepper</i>	F414
Sustained ERK-2 activation in rat glomerular mesangial cells: differential regulation by protein phosphatases <i>H. Schramek, M. Schumacher, and W. Pfaller</i>	F423

Separate regulation of Na ⁺ and anion transport by IMCD: location, aldosterone, hypertonicity, TGF- β 1, and cAMP <i>R. F. Husted and J. B. Stokes</i>	F433
Insulin-like growth factor-I action on glucose transport in acute renal failure <i>R. H. K. Mak and O. Mehls</i>	F440
Mechanisms of stimulation of proximal tubule chloride transport by formate and oxalate <i>T. Wang, A. L. Egbert, Jr., T. Abbiati, P. S. Aronson, and G. Giebisch</i>	F446
Regulation of amiloride-sensitive Na ⁺ channels by endothelin-1 in distal nephron cells <i>M. S. Gallego and B. N. Ling</i>	F451
Development of urinary concentrating capacity: role of aquaporin-2 <i>M. Yasui, D. Marples, R. Belusa, A.-C. Eklöf, G. Celsi, S. Nielsen, and A. Aperia</i>	F461
Regulation of <i>p</i> -aminohippurate transport by protein kinase C in OK kidney epithelial cells <i>M. Takano, J. Nagai, M. Yasuhara, and K. Inui</i>	F469

No. 3. SEPTEMBER 1996

INVITED REVIEW

Mechanisms of apoptosis and its potential role in renal tubular epithelial cell injury <i>W. Lieberthal and J. S. Levine</i>	F477
---	------

Urodilatin is involved in sodium homeostasis and exerts sodium-state-dependent natriuretic and diuretic effects <i>M. Meyer, R. Richter, R. Brunkhorst, E. Wrenger, P. Schulz-Knappe, A. Kist, P. Mentz, E. G. Brabant, K. M. Koch, G. Reckemmer, and W.-G. Forssmann</i>	F489
Taurine permeation through swelling-activated anion conductance in rat IMCD cells in primary culture <i>S. H. Boese, F. Wehner, and R. K. H. Kinne</i>	F498
Fluorescence imaging study of organic anion transport from renal proximal tubule cell to lumen <i>D. S. Miller, S. Letcher, and D. M. Barnes</i>	F508
Effect of α -KG in lumen on PAH transport by isolated perfused rabbit renal proximal tubules <i>W. H. Dantzler and K. K. Evans</i>	F521
Hepatic α_{2u} -globulin: a potential metabolic role in the rat proximal tubule <i>S. C. Borkan, Y.-H. Wang, K. T. Lam, P. Brecher, and J. H. Schwartz</i>	F527
Functional expression of the cDNA encoded by the human <i>ATP1A1</i> gene <i>A. V. Grishin, M. O. Bevensee, N. N. Modyanov, V. Rajendran, W. F. Boron, and M. J. Caplan</i>	F539
Cl ⁻ current in IMCD cells activated by hypotonicity: time course, ATP dependence, and inhibitors <i>K. A. Volk, C. Zhang, R. F. Husted, and J. B. Stokes</i>	F552
Structural and functional analysis of Na ⁺ /Ca ²⁺ exchange in distal convoluted tubule cells <i>K. E. White, F. A. Gesek, and P. A. Friedman</i>	F560
Sublethal heat shock and cyclosporine exposure produce tolerance against subsequent cyclosporine toxicity <i>C. M. Yuan, E. M. Bohen, F. Musio, and M. A. Carome</i>	F571
Extracellular matrix stimulates production and breakdown of inositol phospholipids <i>A. V. Cybulsky, A. J. McTavish, and J. Papillon</i>	F579
Arachidonic acid inhibits activity of cloned renal K ⁺ channel, ROMK1 <i>C. M. Macica, Y. Yang, S. C. Hebert, and W. H. Wang</i>	F588
Enhanced renal sensitivity to angiotensin actions in diabetes mellitus in the rat <i>T. M. Kennefick, T. T. Oyama, M. M. Thompson, J. P. Vora, and S. Anderson</i>	F595

A gene transfer system establishes interleukin-6 neither promotes nor suppresses renal injury <i>T. Naito, H. Yokoyama, K. J. Moore, G. Dranoff, R. C. Mulligan, and V. R. Kelley</i>	F603
Heterogeneity of P _{2u} - and P _{2y} -purinergic receptor regulation of phospholipases in MDCK cells <i>B. L. Firestein, M. Xing, R. J. Hughes, C. U. Corvera, and P. A. Insel</i>	F610
Localization and regulation of the rat renal Na ⁺ -K ⁺ -2Cl ⁻ cotransporter, BSC-1 <i>C. A. Ecelbarger, J. Terris, J. R. Hoyer, S. Nielsen, J. B. Wade, and M. A. Knepper</i>	F619
Characterization of the rat NHE3 promoter <i>A. Cano</i>	F629
Regulation of extracellular calcium sensing in rat osteoclasts by femtomolar calcitonin concentrations <i>M. Zaidi, V. S. Shankar, O. A. Adebajo, F. A. Lai, M. Pazianas, G. Sunavala, A. I. Spielman, and B. R. Rifkin</i>	F637
Site-specific regulation of organic osmolytes along the rat nephron <i>M. Schmolke, A. Bornemann, and W. G. Guder</i>	F645
Role of prostaglandins in renal medullary circulation: response to different vasoconstrictors <i>N. Parekh and A.-P. Zou</i>	F653
Prostaglandins stimulate renin secretion and renin mRNA in mouse renal juxtaglomerular cells <i>B. L. Jensen, C. Schmid, and A. Kurtz</i>	F659
Reduced bicarbonate secretion mediates increased distal tubule acidification induced by dietary acid <i>D. E. Wesson</i>	F670
Primary structure of rat HGF receptor and induced expression in glomerular mesangial cells <i>Y. Liu, E. M. Tolbert, A. M. Sun, and L. D. Dworkin</i>	F679
Autocrine production and TGF- β 1-mediated effects on metabolism and viability in renal cells <i>G. Nowak and R. G. Schnellmann</i>	F689
Ontogeny of apical membrane ion conductances and channel expression in cortical collecting duct cells <i>S. M. Huber and M. F. Horster</i>	F698
Expression and cellular localization of tissue kallikrein-kinin system in human adrenal gland <i>D.-Z. Wang, Q. Song, L.-M. Chen, L. Chao, and J. Chao</i>	F709
Proximal tubule dysfunction in cystine-loaded tubules: effect of phosphate and metabolic substrates <i>G. Bajaj and M. Baum</i>	F717
Developmental regulation of CFTR expression during human nephrogenesis <i>O. Devuyst, C. R. Burrow, E. M. Schwiebert, W. B. Guggino, and P. D. Wilson</i>	F723
Ontogeny of the extracellular calcium-sensing receptor in rat kidney <i>N. Chattopadhyay, M. Baum, M. Bai, D. Riccardi, S. C. Hebert, H. W. Harris, and E. M. Brown</i>	F736
Evidence that embryonic kidney cells expressing flk-1 are intrinsic, vasculogenic angioblasts <i>B. Robert, P. L. St. John, D. P. Hyink, and D. R. Abrahamson</i>	F744
Characterization of a B ₂ -bradykinin receptor in human glomerular podocytes <i>N. Ardaillou, V. Blaise, K. Costenbader, Y. Vassitch, and R. Ardaillou</i>	F754
The β ₁ - and β ₂ -adrenoceptor subtypes in cultured rat inner medullary collecting duct cells <i>G. Yasuda, L. Sun, H.-C. Lee, S. Umemura, and W. B. Jeffries</i>	F762

SPECIAL COMMUNICATION

Novel mouse embryonic renal marker gene products differentially expressed during kidney development <i>M. Kretzler, G. Fan, D. Rose, L. J. Arend, J. P. Briggs, and L. B. Holzman</i>	F770
--	------

Increased renal atrial natriuretic peptide synthesis in rats with deoxycorticosterone acetate-salt treatment <i>Y.-J. Lee, S.-J. Shin, M.-S. Tan, T.-J. Hsieh, and J.-H. Tsai</i>	F779
Cellular ATP depletion induces disruption of the spectrin cytoskeletal network <i>B. A. Molitoris, R. Dahl, and M. Hosford</i>	F790
Halide transport patterns of apical anion exchange in rabbit cortical collecting duct intercalated cells <i>C. Emmons</i>	F799
Disparate expression of the AVP gene in Sabra hypertension-prone and hypertension-resistant rats <i>C. Yagil, D. Ben-Ishay, and Y. Yagil</i>	F806
Renal tubular epithelial cells mimic endothelial cells upon exposure to oxidized LDL <i>A. Agarwal, J. Balla, G. Balla, A. J. Croatt, G. M. Vercellotti, and K. A. Nath</i>	F814
High-salt diet upregulates kininogen and downregulates tissue kallikrein expression in Dahl-SS and SHR rats <i>C. Wang, C. Chao, L.-M. Chen, L. Chao, and J. Chao</i>	F824
Role of apoptosis in development of the ascending thin limb of the loop of Henle in rat kidney <i>J. Kim, G.-S. Lee, C. C. Tisher, and K. M. Madsen</i>	F831
Uninephrectomy reduces apoptotic cell death and enhances renal tubular cell regeneration in ischemic ARF in rats <i>T. Nakajima, T. Miyaji, A. Kato, N. Ikegaya, T. Yamamoto, and A. Hishida</i>	F846
Repressive regulation of the aquaporin-2 gene <i>M. Furuno, S. Uchida, F. Marumo, and S. Sasaki</i>	F854
Regulation of epithelial Na ⁺ channels from M-1 cortical collecting duct cells <i>M. L. Chalfant, K. Peterson-Yantorno, T. G. O'Brien, and M. M. Civan</i>	F861
Developmental changes in rabbit juxtamedullary proximal convoluted tubule water permeability <i>R. Quigley and M. Baum</i>	F871
In situ localization and osmotic regulation of the Na ⁺ -myo-inositol cotransporter in rat brain <i>L. Ibsen and K. Strange</i>	F877
Permeability properties of the intact mammalian bladder epithelium <i>H. O. Negrete, J. P. Lavelle, J. Berg, S. A. Lewis, and M. L. Zeidel</i>	F886
Effect of adrenomedullin on cAMP levels along the rat nephron: comparison with CGRP <i>R. M. Edwards, W. Trizna, E. Stack, and N. Aiyar</i>	F895
Megalin/gp330 mediates uptake of albumin in renal proximal tubule <i>S. Cui, P. J. Verroust, S. K. Moestrup, and E. I. Christensen</i>	F900
Specific effect of maleate on an apical membrane glycoprotein (gp330) in proximal tubule of rat kidneys <i>M. Bergeron, P. Mayers, and D. Brown</i>	F908
Chronic metabolic acidosis increases NHE3 protein abundance in rat kidney <i>P. M. Ambühl, M. Amemiya, M. Danczkay, M. Lötscher, B. Kaissling, O. W. Moe, P. A. Preisig, and R. J. Alpern</i>	F917
Heavy metals inhibit P _i -induced currents through human brush-border NaPi-3 cotransporter in <i>Xenopus</i> oocytes <i>C. A. Wagner, S. Waldegger, H. Osswald, J. Biber, H. Murer, A. E. Busch, and F. Lang</i>	F926
Localization of bumetanide- and thiazide-sensitive Na-K-Cl cotransporters along the rat nephron <i>T. Yang, Y. G. Huang, I. Singh, J. Schnermann, and J. P. Briggs</i>	F931
Calcium-activated chloride currents in primary cultures of rabbit distal convoluted tubule <i>M. Bidet, M. Tauc, I. Rubera, G. de Renzis, C. Poujeol, M. T. Bohn, and P. Poujeol</i>	F940

RAPID COMMUNICATION

Localization of the extracellular Ca^{2+} -sensing receptor and PTH/PTHrP receptor in rat kidney

D. Riccardi, W.-S. Lee, K. Lee, G. V. Segre, E. M. Brown, and S. C. Hebert

F951

No. 5. NOVEMBER 1996

EDITORIAL COMMENT

Editorial Comment on "The molecular basis of inherited hypokalemic alkalosis: Bartter's and Gitelman's syndromes"

S. C. Hebert and S. R. Gullans

F957

BRIEF REVIEW

The molecular basis of inherited hypokalemic alkalosis: Bartter's and Gitelman's syndromes

D. B. Simon and R. P. Lifton

F961

Induction of FGF-7 after kidney damage: a possible paracrine mechanism for tubule repair

T. Ichimura, P. W. Finch, G. Zhang, M. Kan, and J. L. Stevens

F967

Effect of luminal angiotensin II and ANP on early and late cortical distal tubule HCO_3^- reabsorption

M. L. M. Barreto-Chaves and M. Mello-Aires

F977

Localization and regulation by vitamin D of calcium transport proteins in rabbit cortical collecting system

J. Van Baal, A. Yu, A. Hartog, J. A. M. Franssen, P. H. G. M. Willems, J. Lytton, and R. J. M. Bindels

F985

Regulation of PDGF- β receptor-operated Ca^{2+} channels by phospholipase C- $\gamma 1$ in glomerular mesangial cells

H. Ma, H. Matsunaga, B. Li, M. B. Marrero, and B. N. Ling

F994

$[\text{Ca}^{2+}]_i$ in rat afferent arteriole during constriction measured with confocal fluorescence microscopy

K.-P. Yip and D. J. Marsh

F1004

Inhibition of basolateral potassium conductance by taurine in the proximal convoluted tubule

S. Breton, F. Belachgar, M. Marsolais, J.-Y. Lapointe, and R. Laprade

F1012

Effects of angiotensin II on cultured rat renomedullary interstitial cells are mediated by AT_{1A} receptors

C. Maric, G. P. Aldred, A. M. Antoine, R. G. Dean, E. Eitle, F. A. O. Mendelsohn, D. A. Williams, P. J. Harris, and D. Alcorn

F1020

IMCD cells cultured from Dahl S rats absorb more Na^+ than Dahl R rats

R. F. Husted, T. Takahashi, and J. B. Stokes

F1029

H^+ - K^+ -ATPase mediates net acid secretion in rat terminal inner medullary collecting duct

S. M. Wall, A. V. Truong, and T. D. DuBose, Jr.

F1037

Protein kinase C stimulates the small-conductance K^+ channel in the basolateral membrane of the CCD

M. Lu and W. Wang

F1045

Functional evidence for a Ca^{2+} /polyvalent cation sensor in the mouse thick ascending limb

M. Paulais, M. Baudouin-Legros, and J. Teulon

F1052

An oral platelet-activating factor antagonist, Ro-24-4736, protects the rat kidney from ischemic injury

K. J. Kelly, N. E. Tolokoff-Rubin, R. H. Rubin, W. W. Williams, Jr., S. M. Meehan, C. L. Meschter, J. G. Christenson, and J. V. Bonventre

F1061

Roles of Ca^{2+} and PKC in regulation of acid/base transport in isolated proximal tubules <i>H. Yamada, G. Seki, S. Taniguchi, S. Uwatoko, K. Nosaka, K. Suzuki, and K. Kurokawa</i>	F1068
Pressure-mediated vasoconstriction of juxtamedullary afferent arterioles involves P_2 -purinoceptor activation <i>E. W. Inscho, A. K. Cook, and L. G. Navar</i>	F1077
Regulation of Na channels in the rat cortical collecting tubule: effects of cAMP and methyl donors <i>G. Frindt and L. G. Palmer</i>	F1086
Functional differences between rabbit and human Na^+ -dicarboxylate cotransporters, NaDC-1 and hNaDC-1 <i>A. M. Pajor and N. Sun</i>	F1093

LETTERS TO THE EDITOR

Ecto-ATPase activity and labeling with the anti-ecto-ATPase antibody in renal brush border do not coincide <i>I. Sabolić, C. M. Herak-Kramberger, D. Brown, and G. Burckhardt</i>	F1100
--	-------

No. 6. DECEMBER 1996

INVITED REVIEW

Growth factors and the kidney: regulation of epithelial cell movement and morphogenesis <i>L. G. Cantley</i>	F1103
---	-------

Effect of age on blood acid-base composition in adult humans: role of age-related renal functional decline <i>L. A. Frassetto, R. C. Morris, Jr., and A. Sebastian</i>	F1114
Asymmetry of tubuloglomerular feedback effector mechanism with respect to ambient tubular flow <i>S. Thomson, V. Vallon, and R. C. Blantz</i>	F1123
Distribution of binding sites for thromboxane A_2 in the mouse kidney <i>R. B. Mannon, T. M. Coffman, and P. J. Mannon</i>	F1131
Parathyroid hormone-induced calcium efflux from cultured bone is mediated by protein kinase C translocation <i>S. M. Sprague, M. M. Popovtzer, M. Dranitzki-Elhalel, and H. Wald</i>	F1139
Immortalized rabbit cortical collecting duct cells express AT_1 angiotensin II receptors <i>K. D. Burns, L. Regnier, A. Roczniak, and R. L. Hébert</i>	F1147
cGMP-activating peptides do not regulate electrogenic electrolyte transport in principal cells of rat CCD <i>E. Schlatter, R. Cermak, W.-G. Forssmann, J. R. Hirsch, R. Kleta, M. Kuhn, D. Sun, and J. A. Schafer</i>	F1158
Differential regulation of renal regional blood flow by endothelin-1 <i>K. Gurbanov, I. Rubinstein, A. Hoffman, Z. Abassi, O. S. Better, and J. Winaver</i>	F1166
Multiple pathways of organic anion secretion in renal proximal tubule revealed by confocal microscopy <i>R. Masereeuw, F. G. M. Russel, and D. S. Miller</i>	F1173
Prostacyclin increases distal tubule HCO_3 secretion in the rat <i>D. E. Wesson</i>	F1183
Regulation of Fas and Fas ligand expression in cultured murine renal cells and in the kidney during endotoxemia <i>A. Ortiz-Arduan, T. M. Danoff, R. Kalluri, S. González-Cuadrado, S. L. Karp, K. Elkon, J. Egido, and E. G. Neilson</i>	F1193

In vivo and in vitro evidence for increased expression of HGF receptor in kidney of diabetic rat <i>Y. Liu, E. M. Tolbert, A. M. Sun, and L. D. Dworkin</i>	F1202
The p53-independent activation of transcription of p21 ^{WAF1/CIP1/SDI1} after acute renal failure <i>J. Megyesi, N. Udvarhelyi, R. L. Safirstein, and P. M. Price</i>	F1211
Calcitonin stimulates H ⁺ secretion in rat kidney intercalated cells <i>E. Siga, P. Houillier, B. Mandon, G. Moine, and C. de Rouffignac</i>	F1217
Single-channel properties of swelling-activated anion conductance in rat inner medullary collecting duct cells <i>S. H. Boese, R. K. H. Kinne, and F. Wehner</i>	F1224
NaCl but not urea activates p38 and jun kinase in mIMCD3 murine inner medullary cells <i>Z. Zhang and D. M. Cohen</i>	F1234
Angiotensin II-receptor stimulation of cytosolic calcium concentration in cultured renal resistance arterioles <i>Z. Zhu and W. J. Arendshorst</i>	F1239
Hyperosmolality inhibits sodium absorption and chloride secretion in mIMCD-K2 cells <i>R. B. Green, M. J. Slattery, E. Gianferrari, N. L. Kizer, D. E. McCoy, and B. A. Stanton</i>	F1248
NaCl and/or urea infusion fails to increase renal inner medullary myo-inositol in protein-deprived rats <i>T. Nakanishi, F. Nishihara, A. Yamauchi, S. Yamamoto, M. Sugita, and Y. Takamitsu</i>	F1255
Functional differentiation of the human red blood cell and kidney urea transporters <i>S. Martial, B. Olivès, L. Abrami, C. Couriaud, P. Bailly, G. You, M. A. Hediger, J.-P. Cartron, P. Ripoché, and G. Rousselet</i>	F1264
<hr/>	
<i>Subject Index to Volume 40</i>	F1269
<i>Author Index to Volume 40</i>	F1279

CORRIGENDA

Volume 269, September 1995
Volume 38, September 1995

Pages F309–F316: E. D. Lederer and K. R. McLeish. "P₂ purinoceptor stimulation attenuates PTH inhibition of phosphate uptake by a G protein-dependent mechanism." The American Heart Association of Kentucky should have been acknowledged for their support of E. D. Lederer.

Volume 271, September 1996
Volume 40, September 1996

The wrong image was inadvertently printed on the cover of the September issue. The histological section montage from C. M. Sorenson, S. A. Rogers, and M. R. Hammerman (current cover photo) should have been shown, as indicated by the legend on the back cover.